L Number	Hits	Search Text	DB	Time stamp
1	1	("20030063418").PN.	USPAT;	2004/08/26 09:46
_	_	, 2000	US-PGPUB	
2	0	("EP695105").PN.	USPAT; US-PGPUB;	2004/08/26 09:46
			EPO; JPO	
3	0	\ == + = = =	EPO	2004/08/26 09:52
4	159	NEVO.IN.	USPAT;	2004/08/26 09:52
			US-PGPUB; EPO; JPO; DERWENT	
5	4	NEVO.IN. AND LEAKAGE	USPAT; US-PGPUB; EPO; JPO;	2004/08/26 09:57
6	6	("3863238"   "4707759"   "4709164"   "4933801"   "5051732"   "5485340").PN.	DERWENT USPAT	2004/08/26 09:57
7	2	5606480.URPN.	USPAT	2004/08/26 09:57
8	65857	leakage near2 current	USPAT; US-PGPUB;	2004/08/26 09:58
9	3280	(leakage near2 current) and relay	EPO; JPO; DERWENT USPAT;	2004/08/26 09:58
			US-PGPUB; EPO; JPO; DERWENT	
10	189	((leakage near2 current) and relay) and solid near2 switch	USPAT; US-PGPUB; EPO; JPO;	2004/08/26 10:06
11	1148	relay near4 solid near2 switch	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/08/26 10:08
12	19	(relay near4 solid near2 switch) and ground near2 fault	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/08/26 10:08
13	8364	ground near2 fault	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/08/26 10:07
14	19	(relay near4 solid near2 switch) and ( ground near2 fault)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/08/26 10:08
15	484	leakage near2 current same ( ground near2 fault)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/08/26 12:27
16	24	(leakage near2 current same ( ground near2 fault)) and solid near2 switch	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/08/26 11:46
17	4	   ("3555360"   "3633070"   "3769548"     "3852642").PN.	DERWENT USPAT	2004/08/26 10:10
18	2	3032042 ).PN.   ("2686291"   "3213321").PN.	USPAT	2004/08/26 10:14
19	15	• • • • • • • • • • • • • • • • • • • •	USPAT	2004/08/26 10:14
20	4	("3555360"   "3633070"   "3769548"     "3852642").PN.	USPAT	2004/08/26 11:03
21	1	("3633070").PN.	USPAT; US-PGPUB	2004/08/26 11:46
22	607	leakage near2 current same divider	USPAT; US-PGPUB; EPO; JPO;	2004/08/26 11:55
23	118	(leakage near2 current same divider) and relay	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 12:01

24	1	("5864455").PN.	USPAT;	2004/08/26 12:01
0.5	0.1		US-PGPUB	2004/00/06 12:31
25	21	leakage near2 current same (relay near4	USPAT;	2004/08/26 12:31
		solid near2 switch)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
26	76		USPAT;	2004/08/26 12:31
		solid near2 switch)	US-PGPUB;	
			EPO; JPO;	i
			DERWENT	
32	12	("4396872"   "4473779"   "5095502"	USPAT	2004/08/26 12:41
		"5223795"   "5397963"   "5463287"	İ	ļ
		"5569984"   "5677602"   "5801494"		
4.1		"5821700"   "6028396"   "6119076").PN.		0004/00/06 10 50
41	2	1 '	USPAT	2004/08/26 12:50
42	2 9	6094329.URPN.	USPAT	2004/08/26 12:51
46	9	("3524124"   "3670230"   "4359679"	USPAT	2004/08/26 13:07
		"4439722"   "4465966"   "4468722"		]
47	2	"4720775"   "4763014"   "5260644").PN.	tion and	2004/00/26 13:00
53	13	5402059.URPN. 4520417.URPN.	USPAT	2004/08/26 13:08 2004/08/26 13:12
62	15		1	1
63	15	3816763.URPN.   3816763.URPN.	USPAT	2004/08/26 13:27 2004/08/26 13:28
64	4	3816763.0RPN.   ("3328606"   "3693060"   "3708672"	USPAT	2004/08/26 13:28
04	1	"3723769").PN.	USPAI	2004/08/26 13:28
65	1	("6342997").PN.	tienam.	2004/08/26 13:40
1 03	1	( 0342997 ).FN.	USPAT; US-PGPUB	2004/08/26 13:40
66	24	("3420104"   "3719797"   "3722283"	USPAT	2004/08/26 13:30
00	24	"3780322"   "3791217"   "3962692"	USPAT	2004/08/26 13:30
		"3987310"   "4278970"   "4316202"		
		"4441071"   "4636092"   "4667265"		
		"4727269"   "4730228"   "4924212"		
1		"4943740"   "4977476"   "5024535"		
ľ		"5070322"   "5154514"   "5289043"		
		"5401099"   "5781076"   "5955793").PN.		
67	1	("6025980").PN.	USPAT;	2004/08/26 14:16
•	_	( 0020300 / :::::	US-PGPUB	2004/00/20 14.10
68	1	("3852642").PN.	USPAT;	2004/08/26 14:20
			US-PGPUB	
69	1	("3736468").PN.	USPAT;	2004/08/26 15:06
			US-PGPUB	
70	1	("5541800").PN.	USPAT;	2004/08/26 16:19
			US-PGPUB	
71	1401	361/18,23.ccls.	USPAT;	2004/08/26 16:28
			US-PGPUB	
72	9897	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/08/26 16:20
		switch)	US-PGPUB	
73	65	361/18,23.ccls. and (relay near4	USPAT;	2004/08/26 16:31
_		(transistor solid near3 switch))	US-PGPUB	1
74	7	(361/18,23.ccls. and (relay near4	USPAT;	2004/08/26 16:29
		(transistor solid near3 switch))) and	US-PGPUB	
1 3 5		(ground near2 fault leakage near2 current)		
75	1217	361/42,43,45.ccls.	USPAT;	2004/08/26 16:31
= 6			US-PGPUB	
76	60	361/42,43,45.ccls. and (relay near4	USPAT;	2004/08/26 16:29
		(transistor solid near3 switch))	US-PGPUB	
77	49	(361/42,43,45.ccls. and (relay near4	USPAT;	2004/08/26 16:32
		(transistor solid near3 switch))) and	US-PGPUB	[
70	1	(ground near2 fault leakage near2 current)		0004405455
78	1368	361/113,115.ccls.	USPAT;	2004/08/26 16:30
70	3.	261/112 115 0016 1/1	US-PGPUB	0004/00/06 55 55
79	34	361/113,115.ccls. and (relay near4	USPAT;	2004/08/26 16:32
00		(transistor solid near3 switch))	US-PGPUB	0004/00/05 45 64
80	0	361/93.ccls.	USPAT;	2004/08/26 16:31
81	1396	361/03 \$ 2010	US-PGPUB	2004/00/06 16 25
"	1390	361/93.\$.ccls.	USPAT;	2004/08/26 16:31
82	271	361/93.\$.ccls. and (ground near2 fault	US-PGPUB	2004/08/26 16:32
	"	leakage near2 current)	USPAT;	2004/00/20 10:32
L	<u> </u>	Tourage Heatz Cuttent)	US-PGPUB	

-				
83	13	(361/93.\$.ccls. and (ground near2 fault leakage near2 current)) and (relay near4	USPAT; US-PGPUB	2004/08/26 16:32
_	2707	(transistor solid near3 switch)) leakage near2 current and relay	USPAT;	2004/08/26 09:39
-	412	leakage near2 current and relay near3	US-PGPUB USPAT;	2004/08/25 17:43
_	163	(transistor solid near3 switch) (leakage near2 current and relay near3	US-PGPUB USPAT;	2004/08/25 15:29
		(transistor solid near3 switch)) and	US-PGPUB	,
_	9	("4029996"   "4031431"   "4375660"   "5267116"   "5426552"   "5485340"   "5606480"   "5841617"   "6023400").PN.	USPAT	2004/08/25 14:39
-	2	6522033.URPN.	USPAT	2004/08/25 14:40
-	24	("3420104"   "3719797"   "3722283"     "3780322"   "3791217"   "3962692"     "3987310"   "4278970"   "4316202"	USPAT	2004/08/25 14:45
		"4441071"   "4636092"   "4667265"   "4727269"   "4730228"   "4924212"		
	:	"4943740"   "4977476"   "5024535"   "5070322"   "5154514"   "5289043"   "5401099"   "5781076"   "5955793").PN.		
_	3	6342997.URPN.	USPAT	2004/08/25 14:46
-	2	("4417202"   "5245498").PN.	USPAT	2004/08/25 14:48
-	2	6025980.URPN.	USPAT	2004/08/25 14:48
-	558	leakage near2 current near2 (sensor detector monitor)	USPAT; US-PGPUB	2004/08/25 14:51
-	1	(leakage near2 current near2 (sensor detector monitor)) near3 parallel	USPAT; US-PGPUB	2004/08/25 14:54
-	15	leakage near2 current near2 suppressor	USPAT; US-PGPUB	2004/08/25 14:52
_	780	leakage near2 current near2 suppress	USPAT; US-PGPUB	2004/08/25 14:52
_	13	(leakage near2 current near2 suppress) and relay	USPAT; US-PGPUB	2004/08/25 17:35
	14	(leakage near2 current near2 (sensor detector monitor)) and solid near2 switch	USPAT; US-PGPUB	2004/08/25 14:54
_	868	solid near2 switch near4 relay	USPAT; US-PGPUB	2004/08/25 14:55
_	60	( solid near2 switch near4 relay) and leakage near2 current	USPAT; US-PGPUB	2004/08/25 14:59
_	21658	parallel near3 (transistor solid near3 switch)	USPAT; US-PGPUB	2004/08/25 14:59
-	2321	( parallel near3 (transistor solid near3 switch)) and leakage near2 current	USPAT; US-PGPUB	2004/08/25 14:59
-	165	<pre>(( parallel near3 (transistor solid near3 switch)) and leakage near2 current) and relay</pre>	USPAT; US-PGPUB	2004/08/25 14:59
_	7	("4415944"   "4506260"   "4882522"   "5065104"   "5224006"   "5311138"	USPAT	2004/08/25 15:21
	0	"5398149").PN. 5614889.URPN.	HCDNM	2004/09/25 15:22
-	13	5614889.URPN.   4520417.URPN.	USPAT USPAT	2004/08/25 15:22 2004/08/25 15:27
_	4302	ground near2 fault	USPAT; US-PGPUB	2004/08/25 15:29
_	170	(ground near2 fault) and relay near3 (transistor solid near3 switch)	USPAT; US-PGPUB	2004/08/25 16:44
_	160	(sensor detector monitor comparator) near4 parallel near3 (transistor solid near2 switch)	USPAT; US-PGPUB	2004/08/25 15:31
-	0	(ground near2 fault) and ((sensor detector monitor comparator) near4 parallel near3	USPAT; US-PGPUB	2004/08/25 15:31
_	42070	(transistor solid near2 switch)) leakage near2 current	USPAT; US-PGPUB	2004/08/25 15:31
_	16	(leakage near2 current ) and ((sensor detector monitor comparator) near4 parallel near3 (transistor solid near2	USPAT; US-PGPUB	2004/08/25 15:32
-	6	switch))   ("3863238"   "4707759"   "4709164"     "4933801"   "5051732"   "5485340").PN.	USPAT	2004/08/25 15:54

				10001100105 15 55
-	2	5606480.URPN.	USPAT	2004/08/25 15:55
-	1	("20030063418").PN.	USPAT;	2004/08/25 16:15
			US-PGPUB	
_	2	5606480.URPN.	USPAT	2004/08/25 16:00
_	2	5606480.URPN.	USPAT	2004/08/25 16:13
	1			1
-	1	("5606480").PN.	USPAT;	2004/08/25 16:41
			US-PGPUB	
-	1	("5864455").PN.	USPAT;	2004/08/25 16:41
			US-PGPUB	
_	7722	relay near3 (transistor solid near3	USPAT;	2004/08/25 16:44
		switch)	US-PGPUB	
1_	412	(leakage near2 current ) and ( relay near3	USPAT;	2004/08/25 16:44
-	412			2004/08/23 10:44
		(transistor solid near3 switch))	US-PGPUB	
-	163	' ' ' '	USPAT;	2004/08/26 13:30
		near3 (transistor solid near3 switch)))	US-PGPUB	
		and rectifier		
_	0	("EP695105").PN.	USPAT;	2004/08/25 16:46
	-	, =====================================	US-PGPUB	
_	0	("EP695105").PN.	USPAT;	2004/08/25 16:47
1		( DIOJOIOJ A.IN.		2004/00/25 10.4/
1			US-PGPUB;	
			EPO; JPO;	
1			DERWENT	
i -	0	("EP695105").PN.	USPAT;	2004/08/25 16:47
İ			US-PGPUB;	
1			EPO	
1 -	0	("EP695105").PN.	USPAT;	2004/08/25 16:47
_	, ,	( EF093103 ).FN.		2004/08/23 10.47
			US-PGPUB;	
			EPO	
-	0	ep695105	USPAT;	2004/08/25 16:55
			US-PGPUB	
-	1	("5040599").PN.	USPAT;	2004/08/25 17:21
	_	,	US-PGPUB	
_	7	(leakage near2 current near2 (sensor	USPAT;	2004/08/25 17:27
	<b>'</b>		1	2004/00/25 17.27
		detector monitor)) and ( relay near3	US-PGPUB	
	_	(transistor solid near3 switch))		
-	5	("0894620"   "1571224"   "2129524"	USPAT	2004/08/25 17:25
		"3155903"   "3684955").PN.		
_	8	3857096.URPN.	USPAT	2004/08/25 17:25
-	95	(leakage near2 current near2 (sensor	USPAT;	2004/08/25 17:32
	_	detector monitor)) and relay	US-PGPUB	
_	938	leakage near2 current near2 threshold	USPAT;	2004/08/25 17:38
	550	Touringo Hourz Curront Hearz Chreshord	US-PGPUB	2004/00/25 17.56
	29	/lookogo noon2 gummant thurst-11	1	2004/00/05 17 30
-	_ ∠9	(leakage near2 current near2 threshold)	USPAT;	2004/08/25 17:32
	_	and relay	US-PGPUB	
-	14		USPAT;	2004/08/25 17:35
		detector monitor)) and solid near2 switch	US-PGPUB	
_	2643	(leakage near2 current ) and current near2	USPAT;	2004/08/25 17:36
	·	(sensor detector monitor)	US-PGPUB	
_	15	((leakage near2 current ) and current	USPAT;	2004/08/25 17:37
	13	near2 (sensor detector monitor)) and relay	US-PGPUB	2004/00/25 17.57
		1 ' '	US-FGFUB	
		near4 solid near2 switch		
-	266	leakage near2 current near2 detector	USPAT;	2004/08/25 17:43
			US-PGPUB	
-	1527	leakage near2 current near2 (sens\$3	USPAT;	2004/08/25 18:04
		detect\$3)	US-PGPUB	
_	42	(leakage near2 current near2 (sens\$3	USPAT;	2004/08/25 17:47
	3.4	detect\$3)) and relay near3 (transistor	US-PGPUB	2004/00/25 17.47
			US-FGFUB	
		solid near3 switch)		
<b>_</b>	27	(leakage near2 current near2 (sens\$3	USPAT;	2004/08/25 18:04
		detect\$3)) and solid near2 switch	US-PGPUB	
-	7	("3213321"   "3407337"   "3550030"	USPAT	2004/08/25 17:53
		"3621334"   "3673502"   "3683208"		
		"3700966").PN.		
_	21	3852642.URPN.	USPAT	2004/08/25 17:53
L		3002012.OKLH.	USERI	2004/00/23 I/:53

Page 4

		THE CORRESPONDENCE OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROP	TIODAM	0004/00/05 17 50
<u> </u>	29	("3683302"   "3736468"   "3787708"	USPAT	2004/08/25 17:58
		"3852642"   "3859567"   "3936699"		
		"4002951"   "4031431"   "4051544"		
		"4216515"   "4216516"   "4255773"		
:		"4353103"   "4473859"   "4540859"		
		"4714975"   "4742422"   "4816957"		
		"4829390"   "4833564"   "5363269"	i	
1		"5394289"   "5459630"   "5477412"		
		"5600524"   "5642052"   "5715125"		
		"5966280"   "5978191").PN.		
-	17605	current near2 threshold	USPAT;	2004/08/25 18:04
:			US-PGPUB	
-	2551	leakage near2 current and (current near2	USPAT;	2004/08/25 18:04
		threshold)	US-PGPUB	
-	33	(leakage near2 current and (current near2	USPAT;	2004/08/25 18:04
		threshold)) and solid near2 switch	US-PGPUB	